

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(later with than)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:35
L2	3	lat\$4 with than	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:36
L3	11523	Ellis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:36
L4	11	"United video properties".as. and (Pvr)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:43
L5	5	"United video properties".as. and (Pvr) and later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:40
L6	80	"United video properties".as. and later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:40
L7	8	"United video properties".as. and later and latest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:42
L8	3	(lat\$4 with than)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:42
L9	80	"United video properties".as. and (later)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:57
L10	2459	display with latest	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:57

L11	250	(display with latest with select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:59
L12	7	11 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 19:58
L13	1505	(display\$3 or present\$3) with (latest near3 (data or information or segment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:00
L14	190	(display\$3 or present\$3) with (latest near3 (data or information or segment\$1)) with (search\$3 or select\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:01
L15	9	14 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:35
L16	110337	(display\$3 or present\$3 or provid\$3) with late\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:40
L17	6836	(display\$3 or present\$3 or provid\$3) with late\$4 with (select\$3 or search\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:36
L18	623	(display\$3 or present\$3 or provid\$3) with latest with (select\$3 or search\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:36
L19	21	18 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:36
L20	8375	(display\$3 or present\$3 or provid\$3) with late\$4 with position\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:40

L21	0	(display\$3 or present\$3 or provid\$3) with late\$4 with position\$1 with downloaded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:41
L22	8	(display\$3 or present\$3 or provid\$3) with select\$3 with position\$1 with downloaded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:43
L23	306	(position near3 later) with (present\$3 or play\$3 or display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:44
L24	30	(position near3 later) with (present\$3 or play\$3 or display\$3) with select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:44
L25	34	(position near3 later) with (present\$3 or play\$3 or display\$3) with (search\$3 or select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:52
L26	456	latest with (program near3 (guide or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 20:53
L27	69	latest with (program near3 (guide or data or information)) with (present\$3 or display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:01
L28	121	(playback\$3 with position) with later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:02
L29	5	28 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:01
L30	2	(playback\$3 with position) with later with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:03

L31	75	(playback\$3 with position) with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:03
L32	1	(select\$3 near4 position near4 later) with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:14
L33	482	(725/39,52-53,40).ccls. and (last page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:15
L34	172	(725/39,52-53,40).ccls. and ((last page)with (IPG or EPG or guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:15
L35	2	(725/39,52-53,40).ccls. and ((last near3 page)with (IPG or EPG or guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:17
L36	26	(725/39,52-53,40).ccls. and ((last or end) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:21
L37	21	Alexander.in. and page and PIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:21
L38	1	Alexander.in. and page and PIP and advertisement and notification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:42
L39	1002	(jump or skip) with later	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:43
L40	7	(jump or skip) with later with select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:43

L41	59	(jump or skip) with later with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:43
L42	6	(jump or skip) with later with select\$3 same video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:43
L43	6	((jump or skip) with later with select\$3) same video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:56
L44	51	((jump or skip) with later) same (movie video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 21:59
L45	135	((jump or skip) with later) same (position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:00
L46	67	((jump or skip) with later) with (position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:01
L47	2	((jump or skip) with later) with (position) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:02
L48	0	((jump or skip past\$1forward\$3) with (position) with latest) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:02
L49	61	((jump or skip past\$1forward\$3) with (position)) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:03
L50	61	((jump or skip past\$1forward\$3) with (position)) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:03

L51	22	((jump or skip past\$1forward\$3) with (position) and download\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/04 22:03
S1	651	(epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 20:36
S2	2	((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same ((date or day or time) near2 (field\$1 or icon\$1 or region\$1 or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:26
S3	6	("5353121" "5523796" "5532754" "5559548" "5585838" "5596373").PN.	USPAT	OR	OFF	2003/07/07 16:04
S4	2	"5751372".URPN.	USPAT	OR	OFF	2003/07/07 16:09
S5	96	725/39.ccls. and ((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:24
S6	65	725/39.ccls. and ((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:21
S7	7	("5353121" "5532754" "5671411" "5699107" "5710601" "5731844" "5822123").PN.	USPAT	OR	OFF	2003/07/07 17:33
S8	3	"6057890".URPN.	USPAT	OR	OFF	2003/07/07 17:36
S9	3	Boyer.in. and 'program guide' and (calender or calendar)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:16

S10	135	((epg or ipg or 'program guide')same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same (search\$1 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 17:53
S11	84	((epg or ipg or 'program guide')same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same (search\$1 or navigat\$3)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 19:39
S12	5	("5699107" "5880768" "6005565" "6018372" "6023267").PN.	USPAT	OR	OFF	2003/07/07 20:00
S13	0	"6481010".URPN.	USPAT	OR	OFF	2003/07/07 20:04
S14	2	"5793438".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 20:24
S15	11	("4663615" "4951840" "4977455" "5353121" "5477262" "5479266" "5479268" "5539479" "5559550" "5585838" "5585866").PN.	USPAT	OR	OFF	2003/07/07 20:25
S16	22	"5793438".URPN.	USPAT	OR	OFF	2003/07/07 20:27
S17	56	(epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)same page\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 20:38
S18	19	((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)same page\$1) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/07 20:39
S19	0	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule))) same (current and latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:18

S20	1005	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:18
S21	187	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:18
S22	2	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:19
S23	189	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (current or latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 13:20
S24	134	((naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (current or latest)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:48
S25	1	1998-450469.NRAN.	DERWENT	OR	OFF	2003/07/10 14:12
S26	48	Alexander.in. and PIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 22:24
S27	2	Alexander.in. and PIP and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 22:25
S28	4	Gordon.in. and PIP and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 22:27
S29	2	Knudson.in. and Bui.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 22:29
S30	15	Youman.in. and 'program guide'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/30 22:30

S31	1867	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:26
S32	31	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date same day same page\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:40
S33	17	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date same day same page\$1)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:41
S34	110	725/52-53.ccls. and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:50
S35	68	725/52-53.ccls. and (@ad<="20000803" or @rlad<="20000803")and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:37
S36	1867	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:20
S37	140	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same ((field or icon or select\$4) near2 date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:41
S38	96	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same ((field or icon or select\$4) near2 date))) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 20:41
S53	4	("20030066085" "5880768").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:43
S54	424	725/39,44,47,52-53.ccls. and day	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:47

S55	199	725/39,44,47,52-53.ccls. and ((day or date or time or page) near3 (icon or key or field))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:47
S56	44	725/39,44,47,52-53.ccls. and (((day or date or time or page) near3 (icon or key or field)) same (search\$3 or navigat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 10:48
S57	37	S56 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:55
S58	555	(add\$3 with time near3 index\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:43
S59	1681	(add\$3 with time with index\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:43
S60	21	S59 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:43
S61	11	S60 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:21
S62	344	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (add\$3 with time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:21
S63	230	S62 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:22
S64	11	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))) same (add\$3 with (amount or index\$3) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:23

S65	7	S64 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 13:22
S66	4	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))) same (add\$3 with (increas\$7) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:46
S67	6	("6023267" "6016144" "6005601"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:49
S68	55	725/40.ccls. and (time with (pag\$3 or increment\$3 or inscreas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
S69	45	S68 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:52
S70	2	725/40.ccls. and (time with (pag\$3 or increment\$3 or inscreas\$3) with add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:51
S71	2	"6754905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 16:52
S72	651	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date and day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:55
S73	413	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date same day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:55
S74	270	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date with day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:55

S75	170	S74 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 20:15
S76	1	"6754905".pn. and day and date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 20:17
S77	1	"6754905".pn. and day with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 20:15